

COMPOSITION :

Each 1 LTR contains :

Vitamin A.....	20,000,000 I.U.	DL-Methionine	1,000 Mg
Vitamin D3.....	500,000 I.U.	Vitamin C.....	5,000 Mg
Vitamin E.....	8,000 Mg	Folic Acid.....	100 Mg
Vitamin B12.....	2,000 μ g	Manganese Gluconate	550 Mg
Vitamin K3.....	12.00 Mg	Magnesium Chloride..	250 Mg
Vitamin B1.....	3,000 Mg	Zinc Gluconate	500 Mg
Vitamin B2.....	2,000 Mg	Ferrous Gluconate	200 Mg
Vitamin B6.....	1,200 Mg	Copper Gluconate	270 Mg
Calcium D Pantothenate.....	1,000 Mg	Cobalt Sulphate.....	5,000 μ g
Nicotinamide.....	3,000 Mg	Potassium Chloride.....	.10 Mg
Biotin.....	.40 Mg	Sodium Selenite.....	.15 Mg
Choline Chloride	1000 Mg	L-lysine	1500 Mg

VITAVET FORT - Liquid

VITAMINS, MINERALS & AMINO ACIDS FEED
ADDITIVES SOLUTION for Oral Administration

INDICATIONS:

VITAVET FORT used to maintain normal vital process, development and production. Also Increment of reproductive performance in both males and females of different animals. Improves quality, fertility and hatchability rates, and increases the egg production. Secures good performance ,increases growth rate ,the final body weight, meat and milk production. In hot days, it combats anorexia and increases feed and water intake.after treatment of coccidiosis, worm infestation bacteria also Stress conditions due to vaccination, debeaking, transporting, rehousing, changes of feed and weather. Increases the body resistance against infections and the immune response. Improves feed efficiency, increases meat and table-eggs production and hardness of the egg-shell.

WITHDRAWAL PERIOD:

Meat, Milk & Egg : None.

**DOSAGE AND ADMINISTRATION:**

Be incorporated into the drinking water for 5 - 7 days, the following doses per animal per day:

Camels, Cattle, Sheep and Goat:

1 ml per 2 - 4 litre drinking water for 5 - 7 days.

Poultry (Hens, Turkeys, Guinea-fowls, Quails, Pheasants, Peacocks, Geese, Ducks, Pigeons):

1 liter per 1000-2000 litre drinking water for 5-7 days.

ADVICE ON CORRECT ADMINISTRATION

In animals refusing water, the product is administered using a syringe without needle at mouth comisura

Keep it in close container below 25C.

USED FOR

Poultry, Camels, Cattle, Sheep and Goat.

